

VOLUME

01



TIERRAS DE MONTAÑA

ORIGIN INFRASTRUCTURE SERIES



PRESERVE
VALUE



SECURE
INTEGRITY



ENABLE
TRANSFORMATION



GENERATE
ASSETS



THE ORIGIN BLUEPRINT

A FOUNDATIONAL FRAMEWORK FOR
BIOLOGICAL INFRASTRUCTURE ENGINEERING



BIOLOGICAL
CAPITAL



PRESERVATION
LAYER



VALUE
LOCKING



BIOLOGICAL
INTEGRITY



TRANSFORMATION



ENVIRONMENTAL
ASSETS

PUBLISHED BY THE
ORIGIN INFRASTRUCTURE OBSERVATORY
TIERRAS DE MONTAÑA

FIRST EDITION

JULY 2026

VOLUME I — THE ORIGIN BLUEPRINT

English Translation — Corrected and Completed

Document Reference	TDM-VOL-I-2026
Version	1.0
Status	Institutional Framework Standard — In Force
Issued by	SARAH JO S.A.S., Platform Operator
Effective Date	July 2026
Reference Language	English (authoritative)
Related Documents	Volume II (The Preservation Layer), Volume III (The Transformation Layer)
Classification	Public — Technical Standard

Document Type	Function
Blueprint	Universal methodology
Design Notes	Application to specific biomass flows
Technical Notes	Solving specific engineering problems
Case Studies	Analysis of actual territorial deployments
Project Books	Comprehensive systemic territorial planning
Engineering Files	Confidential sizing and industrial design

FRONTISPIECE

"Biological Capital is the inherent chemical, physical, and agronomic value generated by agricultural and forest harvests, encompassing Carbon, nutrients, moisture, and stored energy."

PREFACE

Civilization depends on infrastructure.


Agriculture is no exception.

A critical layer remains undefined: **Biological Infrastructure**.

Crops generate Biological Capital: Carbon, nutrients, water, and stored energy. Without infrastructure, this capital degrades. The loss is physical, quantifiable, and universal.

This master plan establishes the discipline of **Biological Infrastructure Engineering**. It defines the conceptual systems necessary to guarantee the survival of Biological Value.

The Origin Infrastructure Series translates this framework into operational knowledge:



CHAPTER 1 — WHAT IS INFRASTRUCTURE?

Infrastructure is the system that preserves value between the moment it is created and the moment it is transformed.

All infrastructure fulfills this function.

Roads preserve mobility. Power grids preserve electricity. Cold chains preserve food.

Biological Infrastructure preserves Biological Capital.

Currently, the agricultural economy lacks this fundamental element. Biological Capital degrades before its transformation. The loss does not occur during transformation, but in the interval between harvest and transformation.

It is in this interval that engineering must intervene.


Everything that follows in this plan stems from this principle.

Water is weight.

Water is biology.

 **THE ORIGIN BLUEPRINT**
INFRASTRUCTURE SERIES

BIOLOGICAL INFRASTRUCTURE BEGINS WHERE BIOLOGICAL VALUE APPEARS.



HARVEST
This is where biological capital is generated.

BIOLOGICAL INFRASTRUCTURE

This is where preservation of value begins.
This is where degradation stops.

TRANSFORMATION

This is where value becomes solutions.



WITHOUT INFRASTRUCTURE, VALUE IS LOST. WITH INFRASTRUCTURE, THE FUTURE IS BUILT.

Water is time.

Fresh biomass is composed primarily of water.

Water accelerates degradation.

Water increases transportation costs.

Water reduces energy density.

Therefore...

Moisture management is the first engineering decision.

It is not the last.

THE BIOLOGICAL VALUE CHAIN

Architecture of biological value:

harvest → capital → infrastructure → integrity → transformation → assets.

THE STARTING POINT

Biological value is created.



HARVEST

THE VALUE CONTAINED

Inherent chemical, physical and agronomic value generated by biomass.



BIOLOGICAL CAPITAL

Carbon · Nutrients · Water · Energy

THE CRITICAL INTERVAL

Degradation begins immediately without infrastructure.




LOSS

The interval where biological value disappears.

- CARBON LOSS**
CO₂, CH₄ emissions
- NUTRIENT LOSS**
Leaching and volatilization
- STRUCTURE LOSS**
Breakdown and compaction
- ECONOMIC LOSS**
Lower quality, higher costs

THE INFRASTRUCTURAL INTERVENTION

Infrastructure arrests degradation and secures value.



THE CONVERSION STAGE

Value is transformed into functional outputs.




TRANSFORMATION

Converting stabilized biomass into usable forms.

THE FINAL OUTCOMES

Biological value becomes long-term assets.



PRINCIPLES THAT GOVERN THE CHAIN

BIOLOGY GOVERNS INFRASTRUCTURE

PRESERVE BEFORE YOU TRANSFORM

INFRASTRUCTURE PRECEDES TECHNOLOGY

INTEGRATE ENVIRONMENTAL RESPONSIBILITY

CHAPTER 2 — THE BOTTLENECK

Fundamental Restriction 01: The Blind Spot of Infrastructure

Regenerative economies suffer from a lack of infrastructure. Industry prioritizes conversion technologies (reactors, gasifiers, pyrolysis) and ignores the reality of raw materials.

Biology governs every conversion process. Each biological raw material has a unique physical and chemical signature. Processing raw, unconditioned biomass using advanced reactors constitutes a systemic engineering failure.

The First Transformation

The first transformation of biomass is infrastructural, not thermal. Without Biological Conditioning Infrastructure, Biological Capital rots away. Losses occur before conversion even begins.

Three Consequences:

Consequence	Mechanism
Carbon integrity is compromised	Degradation converts stable carbon into methane and CO ₂
Nutrients are lost	Leaching removes nitrogen, phosphorus, and potassium
Logistics becomes inefficient	Transporting water instead of carbon multiplies costs

Fundamental Principle:

The design of Biological Infrastructure must begin with the limitations, not with the technologies.



THE **ORIGIN** BLUEPRINT
INFRASTRUCTURE SERIES

THE INFRASTRUCTURE THAT PRESERVES VALUE

BETWEEN ITS CREATION AND ITS TRANSFORMATION.



CREATION

Nature creates
biological capital.



INFRASTRUCTURE

Preserve, stabilize and
protect biological value.



TRANSFORMATION

Biological value is converted
into environmental and
economic impact.



PROTECTS CARBON

Avoids emissions
and stores carbon.



PRESERVES NUTRIENTS

Maintains soil health
and agricultural productivity.



IMPROVES EFFICIENCY

Reduces energy costs
and logistics.



BUILDS ECOSYSTEMS

Minimizes impacts and
regenerates territory.



CREATES IMPACT

More value, greater resilience,
a stronger future.



THE **ORIGIN** BLUEPRINT
INFRASTRUCTURE SERIES

THE VALUE ISN'T LOST. **WITH INFRASTRUCTURE, IT'S PRESERVED.**

THE CURVE OF BIOLOGICAL CAPITAL LOSS

A HEALTHY SOIL IS A LIVING SYSTEM. WITHOUT REGENERATION, VALUE IS LOST.



CARBON

Stable carbon loss and CO₂, CH₄ release.



WATER

Loss of moisture and quality.



NUTRIENTS

Loss of N, P, K and micronutrients.



ENERGY

Loss of chemical energy.



ECOSYSTEM

Loss of oxygen in water, BOD/COD and biodiversity.



**BIOLOGICAL DEGRADATION DOES NOT DESTROY A RESOURCE.
IT SIMPLY COMPLETES A VALUE CYCLE.**

CHAPTER 3 — THE LOSS CURVE OF BIOLOGICAL CAPITAL

The degradation of Biological Capital begins immediately after harvesting. It is not a single process, but a sequence of physical, chemical, and biological transformations that progressively reduce the value of the biomass.

Every hour without adequate infrastructure reduces the capacity to conserve carbon, recover nutrients, harness the energy contained in biomass, and protect surrounding ecosystems.

The function of Biological Infrastructure is to interrupt this degradation curve, stabilizing the biomass before its most valuable components disappear.

Mechanisms of Biological Capital Loss

Period	Dominant Process	Affected Capital	Main Consequence
0–24 hours	Fermentation	Chemical energy	CH ₄ emissions, odors, pH decrease
24–72 hours	Leaching	Nutrients and water	Loss of N, P, K and water pollution
3–7 days	Compaction and structural degradation	Physical integrity	Greater handling difficulty and lower logistical efficiency
>7 days	Carbon mineralization	Stable carbon	CO ₂ emissions and reduced sequestration potential
Parallel process	Runoff and oxygen consumption	Ecosystem	Increased BOD/COD, eutrophication, loss of biodiversity

Key Message: Biological degradation does not destroy a single resource. It simultaneously dismantles an entire value system.

 **TDM** | TIERRAS DE MONTAÑA

BIOLOGY DEFINES THE LIMITATIONS.


**HUMIDITY**
Accelerates degradation.

**TIME**
Reduces value.

**COMPOSITION**
Determines behavior.

**ENVIRONMENT**
Imposes rules.

**BIOLOGY**
Never stops.





INFRASTRUCTURE DEFINES THE RESPONSE.

**PROTECTS VALUE**
Prevents degradation.

**STABILIZES**
Controls humidity.

**OPTIMIZES**
Resources and energy.

**PREPARES**
Premium quality raw material.

**ENABLES**
Efficient transformation.







BETWEEN DEGRADATION AND TRANSFORMATION,
THERE IS ONLY ONE INFRASTRUCTURE.

Biological Capital

Fundamental Concept 02: Biological Capital

Biological Capital also includes **oxygen** as an ecosystem resource. Decomposing biomass consumes oxygen in bodies of water, generating BOD and COD. Biological Infrastructure protects not only biomass, but also the ecosystems that depend on available oxygen.

Biological Capital is the inherent chemical, physical, and agronomic value generated by agricultural and forest harvests. It includes carbon content, nutrient density, water balance, and stored chemical energy.

Biological carbon exists in two states:

Carbon Type	Description
Labile Carbon	The easily degradable fraction, subject to rapid mineralization into CO ₂ or CH ₄
Stable Carbon	The recalcitrant fraction that persists in soil or is converted into biochar

Biological Infrastructure aims to preserve labile Carbon long enough to allow its conversion, preventing it from becoming emissions before it can be stabilized.

Components of Biological Capital

Component	Description
Carbon	Stable carbon for sequestration or conversion
Nutrients	Nitrogen, phosphorus, potassium, micronutrients
Moisture	Water content that governs stability and transport
Energy	Stored chemical energy for thermal conversion

CHAPTER 4 — MOISTURE MANAGEMENT

Fresh biomass typically has a water content exceeding 80%. At these levels, anaerobic degradation begins within hours. This biological window is the primary constraint governing the entire supply chain.

Moisture management is the first engineering decision. Infrastructure should be designed around it, not the other way around.

Water is not an inert component. It is the medium where microbial communities proliferate, accelerating fermentation and the production of organic acids. Removing the water stops this biological process.

Water does not just add weight. It reduces the energy density of biomass. Each kilogram of water requires energy to evaporate before the carbon can be converted.

Infrastructure design must consider the **energy balance of drying**: the energy required to remove the water must not exceed the energy that will be recovered in the conversion.

CHAPTER 5 — VOLUMETRIC SHOCK

Harvests occur in sudden peaks, not linearly. Infrastructure must absorb these volume fluctuations without compromising the integrity of the raw material.

Intermediate storage capacity is not optional; it is mandatory.

CHAPTER 6 — TOPOLOGICAL WEIGHT

Water transport is detrimental to both the economy and the environment. The decision to centralize or decentralize infrastructure depends on the relationship between moisture content and transport distance. Above a critical threshold, transporting water becomes more expensive than drying it in situ.

Infrastructure should be deployed at the point where this balance is optimal.

CHAPTER 7 — THE PRINCIPLES OF ORIGIN

Fundamental Principle 03: The Principles of Origin

Biological Infrastructure engineering is governed by three non-negotiable principles.

Origin Principle I — Biology Governs Infrastructure

The hardware is subordinate to biology. Infrastructure must adapt to the physical limitations of the raw material, not the other way around. The raw material defines the design parameters.

Origin Principle II — Preserve Before Transforming

Time degrades value. The primary function of infrastructure in its initial phase must be to halt biological degradation and secure a carbon baseline. Preservation precedes conversion in all cases.

Origin Principle III — Infrastructure Precedes Technology

Without conditioning, logistics fail. Without logistics, conversion fails. Infrastructure must be established before selecting any conversion technology.

Derived Operational Principles

Principle	Statement
1	Biomass determines infrastructure
2	Value must be preserved before it can be transformed
3	Territories are systems; they cannot be optimized independently
4	Passive solutions must be evaluated first
5	Technology is the final decision

CHAPTER 8 — THE PRESERVATION LAYER

Operational Domain 04: The Preservation Layer

Engineering must be preceded by architecture.

The Origin Blueprint establishes **The Preservation Layer**: the physical interface designed to protect Biological Capital between harvest and conversion.

Assurance of Biological Value

Assurance of Biological Value is the operational mechanism that embodies the fundamental principle of infrastructure: preserving value between its creation and its transformation. It consists of the active process of halting biological degradation to preserve carbon, moisture balance, and structural integrity.

Assurance of Biological Value achieves **Biological Integrity**: the preserved physical and chemical state of biomass after stabilization, which allows its original value to be available for subsequent transformation.

Four Functional Domains

1. Raw Material Profile

The value must be understood before it can be designed. Without this understanding, no design is possible. The design must define the physical limits: initial moisture content, physical composition, and harvest seasonality.

2. Output Prioritization

The local context determines the final product. The design must define the main objective: high-stability biochar, biomethane, thermal energy, or bio-based materials.

3. Spatial Deployment

The design should model the optimal **Transformation Topology**: the spatial architecture of an infrastructure network, which defines the balance between decentralized (on the farm) and centralized (regional center) processing. This decision depends critically on moisture content and transport distance.

4. Guarantee Integrity

The design must achieve complete Biological Integrity, ensuring that the raw material meets the exact physical and chemical thresholds required for subsequent processing. Without Biological Integrity, conversion is inefficient or unfeasible.

 TDM | TIERRAS DE MONTAÑA

TECHNOLOGY TRANSFORMS BIOMASS.



It converts biological capital into energy, materials and high-value products.



THE INFRASTRUCTURE PRESERVES ITS VALUE.



It protects biological capital from degradation until its transformation.



WITHOUT INFRASTRUCTURE,
VALUE IS LOST.



TWO FUNCTIONS.
ONE REGENERATIVE SYSTEM.



WITH INFRASTRUCTURE,
VALUE IS PRESERVED.

CHAPTER 9 — ENVIRONMENTAL INTEGRATION

Operational Domain 05: Environmental Integration

Regenerative infrastructure absorbs pollution; it does not displace it.

The conditioning infrastructure must resolve environmental externalities at their source.

Five Environmental Obligations

1. Odor and VOC Control

The stabilization of biomass naturally releases volatile organic compounds. Systems must incorporate passive or active biofiltration to neutralize odor impacts.

2. Leachate Management

The dehydration of wet biomass produces an effluent with a high nutrient content. The infrastructure design must include the channeling, collection, and treatment of this liquid to prevent contamination of the watershed.

3. Oxygen Demand and BOD/COD

Decomposing biomass consumes oxygen. When leachate reaches bodies of water, Biological Oxygen Demand (BOD) and Chemical Oxygen Demand (COD) deplete the dissolved oxygen. Aquatic life collapses. Fish kills are the visible consequence. This is not a side effect. It is a primary environmental failure of unconditioned biomass storage.

Infrastructure must:

- Capture and treat all leachate before it reaches ground or water
- Prevent anaerobic conditions in storage areas
- Integrate biofiltration or constructed wetlands to reduce BOD/COD before any discharge
- Monitor dissolved oxygen in receiving water bodies when discharge is unavoidable

4. Methane Mitigation

Uncontrolled decomposition generates methane. Infrastructure must prevent anaerobic conditions through active drying and aeration.

5. Nutrient Recovery

The nutrients lost through leaching are the same nutrients the soil needs for the next harvest. Biological Infrastructure not only preserves nutrients; it maintains them in the agronomic cycle. Design should prioritize the recovery of N, P, and K from leachate for return to soil, closing the nutrient cycle in the territory.

CHAPTER 10 — THE LOGIC OF DECISION

Methodological Framework 06: The Logic of Decision

The transition from environmental constraints to physical infrastructure is governed by a specific decision logic.

Origin Decision Matrix

There is no universal infrastructure. Context creates limitations.

The **Origin Decision Matrix** filters biological reality through territorial limitations to dictate the appropriate infrastructure response.

Restrictions Evaluated:

Restriction	Evaluation Criteria
Moisture content	>80% vs <30%
Transport radius	<10 km vs >50 km
Waste heat availability	Available vs Not available
Volumetric seasonality	Intense peak vs Constant flow
Land availability	>2 ha vs <0.5 ha
Energy availability	Grid waste heat vs None
Capital availability	Investment-ready vs Limited
Technical capacity	Skilled vs Basic

Infrastructure Archetypes

The methodology organizes the design into five distinct and adaptable archetypes:

Archetype	Description	Typical Application
Passive Systems	Gravity, solar energy, wind, bioenergy	Small scale, remote, low capital expenditure
Hybrid Systems	Passive + mechanical	Medium-sized and in transition
Industrial Systems	Fully mechanized, continuous	Large-scale, center-based
Mobile Systems	Relocatable equipment	Temporal, seasonal
Thermally Integrated	Waste heat recovery	Integrated with conversion

The specific engineering parameters for each archetype are detailed in the Origin Design Notes.

CHAPTER 11 — THE BIOLOGICAL VALUE CHAIN

Preparation infrastructure should not be designed in isolation. It must be integrated as the foundational layer of a broader regenerative system.

Infrastructure preserves. Technology transforms. Territories prosper.


Integration Results

Level	Function	Result
1. Harvest	Agricultural production	Gross Biological Capital
2. Preparation	Stabilization, drying, conditioning	Biological Integrity achieved
3. Conversion	Pyrolysis, gasification, torrefaction	Biocarbon, heat, energy, syngas
4. Valorization	Markets, credits, agriculture	Carbon Removal, Scope 3, Soil Regeneration

This integration transforms preparation infrastructure, shifting it from an operating cost to becoming the entry point of a diversified value creation system.

THE VALUE PATHWAY

Once biomass has been stabilized, it shall enter a value pathway appropriate to territorial priorities and market conditions.



INFRASTRUCTURE PRESERVES. TECHNOLOGY TRANSFORMS. TERRITORIES PROSPER.

CHAPTER 12 — GOVERNANCE

Institutional Framework 07: Governance

It is necessary to share systemic methodologies to accelerate the regenerative transition. Site-specific engineering remains protected within the framework of industrial implementation.

Open Knowledge vs. Protected Engineering

Shared (Public)	Protected (Confidential)
Principles of Origin	Sizes and capacities
Decision logic	Airflow and thermal calculations
Infrastructure archetypes	Drainage geometry
Design philosophy	Energy integration matrix
Lexicon	Mass balance models
Principles of environmental integration	Cost models
	Site-specific designs
	Detailed technical specifications

The Document Library

Document Type	Function	Access
Blueprint	Universal methodology	Public
Design Notes	Application to specific biomass flows	Semi-public
Technical Notes	Solving specific engineering problems	Semi-public
Case Studies	Analysis of actual territorial deployments	Semi-public
Project Books	Comprehensive systemic territorial planning	Confidential
Engineering Files	Confidential sizing and industrial design	NDA

CHAPTER 13 — THE LEXICON OF ORIGIN

Appendix

Term	Definition
Biological Capital	The inherent chemical, physical, and agronomic value generated by agricultural and forest harvests, encompassing Carbon, nutrients, moisture, and stored energy.
Biological Infrastructure Engineering	The systemic discipline of designing the physical, thermal, and logistical systems necessary to preserve, stabilize, and prepare Biological Capital before its conversion.
Biological Integrity	The preserved physical and chemical state of biomass after stabilization, allowing its original value to be available for subsequent transformation or environmental application.
Biological Conditioning Infrastructure	The physical assets deployed to slow degradation, control humidity, and preserve the value of raw biomass.
Preservation Layer	The operational and physical interface that connects the point of harvest with the subsequent point of transformation.
Assurance of Biological Value	The active process of halting biological degradation to preserve carbon, moisture balance, and structural integrity.
Transformation Topology	The spatial architecture of an infrastructure network, defining the optimal balance between decentralized (on the farm) and centralized (regional center) processing.
Volumetric Shock	The sudden and concentrated influx of Biological Capital, typical of seasonal harvests, requiring adaptable infrastructure buffering capacities.
Origin Decision Matrix	Proprietary methodology for filtering biological reality through territorial limitations to determine the appropriate infrastructure response.
Biological Value Chain	The sequential architecture of biological value: Harvest → Capital → Infrastructure → Integrity → Transformation → Assets.

CHAPTER 14 — WHY THIS DISCIPLINE MATTERS

The regenerative economy will not be limited by reactor technology, but by the ability to preserve biomass before its conversion.

Every hour of uncontrolled degradation reduces carbon integrity, increases environmental impact, and decreases economic value.

Therefore, **preparation becomes one of the most impactful interventions** within regenerative supply chains.

Addressing Preparation First

Result	Impact
Infrastructure becomes more efficient	Subsequent technologies receive a constant supply of high-quality raw materials
Carbon accounting becomes more robust	Emission reductions are measurable and verifiable
Subsequent technologies function optimally	Reactors operate at maximum efficiency
Rural economies benefit	Local infrastructure creates jobs and retains value



THE WORLD’S MOST SATISFYING REACTOR CAN’T COMPENSATE FOR A POOR PREPARATION.

THE QUALITY OF TRANSFORMATION NEVER EXCEEDS THE QUALITY OF THE FEEDSTOCK IT RECEIVES.



PROTECTS THE PLANET

Avoids emissions and stores carbon.



PRESERVES RESOURCES

Maintains soil health and agricultural productivity.



IMPROVES EFFICIENCY

Reduces energy costs and logistics.



BUILDS ECOSYSTEMS

Minimizes impacts and regenerates the territory.



GENERATES IMPACT

More value, greater resilience, a stronger future.



THE ORIGIN BLUEPRINT
INFRASTRUCTURE SERIES



CHAPTER 15 — FINAL PRINCIPLE

The regenerative economy will not be built with better reactors. It will be built with better infrastructure.

Infrastructure determines whether Biological Capital survives long enough to become environmental, economic, and social value.

Technology transforms. Infrastructure preserves. Civilizations require both.

CLOSING

Series	Origin Infrastructure Series
Volume	01
Title	The Origin Blueprint
Subtitle	A Fundamental Framework for Biological Infrastructure Engineering
Published by	The Observatory of Origin Infrastructures — Tierras de Montaña
Edition	First Edition — July 2026

END OF DOCUMENT

Document published by Tierras de Montaña / SARAH JO S.A.S.

Version 1.0 — July 2026

Status: Institutional Framework Standard — In Force

Reference: TDM-VOL-I-2026

